

WINDSOR

Designed by Monique Dillard for Maywood Studio
finished size approx. 55" x 69"



NORTHGATE
MANOR

fabric collection from Maywood Studio
and Monique Dillard



MAYWOOD STUDIO

PORTLAND
800.433.0722
503.284.4124

6000 N. Cutter Cir.
Portland, OR 97217
fax 503.288.4475



LOS ANGELES
800.237.6620
323.584.8820

4561 Maywood Ave
Vernon, CA 90058
fax 323.584.8847

www.maywoodstudio.com

WINDSOR

Fabric & Supplies

Fabric AMAS2029-R 1/2 yard

Fabric B*MAS2028-G 1-1/2 yards
or MAS2028-N for blue quilt
*Includes binding

Fabric CMAS8076-E2 3-1/2 yards

Fabric DMAS2031-E 2-1/4 yards
or MAS2031-N for blue quilt

BackingYour Choice 3-2/3 yards


Fit to be Geese Ruler ©..... OPG102

Cutting

Fabric A MAS2029-R
cut (3) 5-1/2" strips, into:
cut (18) 5-1/2" squares,
cut the squares diagonally twice

Fabric B MAS2028-G (MAS2028-N)
cut (10) 1-1/2" strips
cut (2) 2-1/2" strips
cut 2-1/4" bias strips to make 275" for binding


Fabric C MAS8076-E2
cut (10) 1-1/2" strips
cut (2) 2-1/2" strips
cut (6) 3-1/4" strips into:
(72) 3-1/4" squares,
cut squares diagonally once
cut (10) 8" strips into:
(30) side triangles, per diagram
(12) corner triangles, per diagram




Fabric D MAS2031-E (MAS2031-N)
fussy cut (2) 11-1/4" x 81" strips

Construction


1. Sew a 1-1/2" strip of Fabric C to a 1-1/2" strip of Fabric B. Iron towards the darker fabric. Repeat to make a total of 6 sets. Cut the sets into (144) 1-1/2" segments.




2. Sew two of the segments from step 1 together to form a 4-patch matching the dark side of one to the light side of the other. Make a total of 72 4-patches.




3. Sew a 1-1/2" strip of Fabric B to both sides of a 2-1/2" strip of Fabric C. Iron towards the darker fabric. Repeat to make a total of 2 sets. Cut into (36) 1-1/2" segments.



4. Sew a 1-1/2" strip of Fabric C to both sides of a 2-1/2" strip of Fabric B. Iron towards the darker fabric. Repeat to make a total of 2 sets. Cut into (18) 2-1/2" segments.




5. Sew two pieces from step 3 to both sides of a piece from step 4. Iron out. Repeat to make a total of 18.




Construction


6. With right sides together sew one Fabric A triangle (cut from the 5-1/2" square) and one Fabric C triangle (cut from a 3-1/4" square) together. Place the Fabric C so that the long side is lined up with a short side of the dark fabric per diagram. Iron towards the light. Sew another Fabric C triangle to the other side, per diagram. Iron towards the light. Make a total of 72.




7. Square to 2-1/2" x 4-1/2" using the Fit to be Geese ruler.



8. Sew the block in rows as shown using four flying geese from step 7, a center from step 5 and four 4-patches from step 2. Iron per arrows. Square to 8-1/2". Repeat to make a total of 18.




9. Sew 6 of the blocks together with 10 side triangles and 4 corner triangles, per diagram. Repeat to make a total of 3. Iron per arrows. The side and corner triangles are larger than needed. Trim the sides to 1/4", making sure the width measures 12". Trim the ends so that the strip measures 69" in length.




10. Centering the motif in Fabric D, cut the 11-1/4" strips to measure 69". This measurement should be the same as the length of your strips in step 9. Sew the rows of blocks and main fabric in lengthwise rows, per quilt diagram on back page. Iron per arrows.

11. Quilt, bind and enjoy!!

Quilt Diagram




Fabric & Supplies



Fabric A1/2 yard
MAS2029-R



Fabric B*1-1/2 yards
MAS2028-G or
MAS2028-N for blue quilt
*Includes binding



Fabric C3-1/2 yards
MAS8076-E2.



Fabric D2-1/4 yards
MAS2031-E or
MAS2031-N fro blue quilt

Backing3-2/3 yards
Your Choice

Fit to be Geese Ruler®
OPG102

