"Mon Amour"

Quilt Design by Toby Lischko of Gateway Quilts & Stuff Featuring fabrics from the "Blooming Hearts" Collection by Punch Studio for Hoffman California Fabrics



K7108 33G-Cream Gold



To see more quilts designed by Toby go to www.gatewayquiltsnstuff.com Free pattern available from www.HoffmanFabrics.com

Quilt Size 77" x 93"

Style	
K7108 33G-Cream Gold	1/2 yard
K7109 33G-Cream Gold	2 ½ yards
K7110 12G-Pink Gold	1 5/8 yards
K7111 12G-Pink Gold	⅔ yard
K7112 41G-Aqua Gold	½ yard
K7112 12G-Pink Gold	½ yard
J7017 63G-Rose Gold	1/2 yard
J7017 476G-Juniper Gold	½ yard
G8555 22G-Ivory Gold	1 5/8 yards
G8555 79G-Seafoam Gold*	2 yards
J9216 59G-Coral Gold	1 3/8 yards



BACKING: Coordinate of your choice. 5 % yards (1 kit); 70 ½ yards (12 kits)



K7109 33G-Cream Gold



K7110 12G-Pink Gold



K7111 12G-Pink Gold



K7112 41G- Aqua Gold



K7112 12G-Pink Gold




J7017 63G-Rose Gold




J7017 476G-Juniper Gold G8555 22G-Ivory Gold





G8555 79G-Seafoam Gold



19216 59G-Coral Gold

HOFFMAN FABRICS

Blooming Hearts

Blooming Hearts collection by Punch Studio Hoffman Fabrics Designed by Toby Lischko on EQ7

Quilt size: 77" x 93"

Fabric Requirements:

1/2 yard each Fabric 1 - K7108-33G Cream Gold

Fabric 2 - J7017-63G Rose Gold

Fabric 3 - J7107-476G Juniper Gold Fabric 4 - K7112-41G Aqua Gold

Fabric 5 - K7112-12G Pink Gold

2/3 yard Fabric 6 - K7111-12G Pink Gold

1-3/8 yards Fabric 7 - J9216-59G Coral Gold

1-5/8 yards each Fabric 8 - G8555-22G Ivory Gold

Fabric 9 - K7110-12G Pink Gold

2 yards Fabric 10 - G8555-79G Seafoam Gold

2-1/2 yards Fabric 11 - K7109-33G Cream Gold

Optional: Fusible web of your choice Template plastic

General Instructions:

- * WOF refers to width of fabric (selvage to selvage).
- * LOF refers to length of fabric (parallel to the selvage).
- *Some fabrics are directional. Make sure when sewing units and sections that the fabric print faces up.
- *Border instructions are cut to size, cut a little larger and trim to your own personal guilt size if you prefer.

Cutting Instructions:

Fabric 1: Ten of Pattern A

Fabric 2: Cut thirteen 2" x 13-1/2", seven 2- 3/4" x 2-3/4"

Fabrics 3, 4, 5: Cut twelve 2" x 13-1/2", six 2-3/4" x 2-3/4" each

Fabric 6: Forty of Pattern B

Fabric 7: Twenty of Pattern B; Cut forty-nine 1-1/4"

x 13-1/2", **fifteen** of Template C and **twenty-eight** of Template D

tivelity eight of femp

Fabrics 8, 9: Cut ten 14" x 14"

Fabric 10: Twenty of Pattern B; Cut forty-nine 1-1/4" x 13-1/2", fifteen of Template C, twenty-eight of Template D and nine

2-1/4" x WOF for binding

Fabric 11: Cut **two** 5-1/2" x 77-1/2" LOF, **two** 5-1/2" x 83-1/2" LOF, **six** 2-3/4" x 2-3/4" from

remaining fabric. *See general instruc-

Block size: 13"

tions.

Block Construction:


Making the Appliquéd Block

Note: If you are using the fusible appliqué method use the inside line on patterns A and B on the fabrics and fusible material. For the needle-turn method, use the outside line on patterns A and B on the fabrics.

- 1. Trace **one** copy of template A and template B to the template plastic (following the instructions above). Cut out and use as a pattern to cut out the indicated number of pieces from the fabrics in the cutting instructions.
- **2.** (Fusible method) Trace **ten** each of pattern A and **eighty** of pattern B onto the paper side of the fusible web, leaving at least 1/2" space between each piece. Cut out the pieces slightly larger than the template. Following manufacturer's instructions, iron the pieces to the wrong side of the indicated fabrics in the cutting instructions. Cut out each piece on the inside line.
- **3.** Center **one Fabric 1** "A" piece, **four Fabric 6** "B" pieces and **two** each of **Fabrics 7 and 10** pieces to the right side of **one**

Fabric 8 14" x 14" square.

4. Appliqué each piece using your prefered method. Make **ten** appliquéd blocks. Square block to 13-1/2".




Page 1 of 4

Make the Cornerstone Blocks


- 5. Trace one copy of template C and template D to the template plastic. Cut out on the outside line and use as a pattern to cut out the indicated number of pieces from the fabrics in the cutting instructions.
- **6.** Cut **two Fabric 11** 2-3/4" x 2-3/4" squares in half diagonally once to make four medium triangles. Cut the remaining four Fabric 11 2-3/4" x 2-3/4" squares in half diagonally twice to make **sixteen** small triangles (use only fourteen).


Cut the remaining **twenty-five** 2-3/4" x 2-3/4" squares of Fabrics 2, 3, 4, and 5 in half diagonally twice to make ninety-eight small trianlges.

7. Sew **one Fabric 2** small triangle to the left side of one Fabric 7 "D" piece. Sew one Fabric 4 small triangle to the right side of the "D" piece.



8. Matching centers, stitch one Fabric 10 "C" piece to the long side of the unit.






block 1

9. Matching centers, stitch one **Fabric 11** medium triangle to the opposite side of the "C" piece to make a cornerstone block 1.


Using the color combinations and positions indicated, make one each of blocks 2, 3 and 4.



block 2



block 3




9. Sew blocks 5 - 14 in the same manner, but with two pieced "D" units instead of the medium triangle. Using the color combinations and positions indicated, make the number of each block needed.





block 5 - make 1 block 6 - make 2 block 7 - make 2







block 8 - make 2 block 9 - make 6 block 10 - make 1











block 11 - make 2 block 12 - make 2 block 13 - make 2



block 14 - make 6

Make the Sashing Strips


- 10. Sew one Fabric 2 2" x 13-1/2" strip between one **Fabric 7** 1-1/4" x 13-1/2" strip and **one Fabric 10** 1-1/4" x 13-1/2" strip to make **sashing strip A**. (Make 13)
- **11.** Sew **sashing strips B D** in the same manner, but using Fabrics 3, 4, and 5 2" x 13-1/2" strips for the center as indicated. (Make 12 of each.)



Assembling the Quilt

- **12.** Refer to the Quilt Layout diagram; lay out **two appliquéd blocks** and **two Fabric 9** 13-1/2" x 13-1/2" squares, alternating with **five sashing strips** as indicated to make a block row. Make **five block rows** noting the orientation and placement of each unit in each row.
- **13.** Refer to the Quilt Layout diagram; lay out **five cornerstone blocks**, alternating with **four sashing strips** as indicated to make a sashing row. Make **six sashing rows** noting the orientation and placement of each unit in each row.

Fabrics in the cornerstones should match the center strip in the sashing.



Adding the Border

14. Sew the **two Fabric 11** 5-1/2" x 83-1/2" strips to the sides of the quilt. Sew the **two Fabric 11** 5-1/2" x 77-1/2" strips to the top and bottom of the quilt.

Finishing

15. Layer, quilt and bind with the **nine Fabric 10** 2-1/4" x WOF strips sewn, short ends together with diagonal seams, using a French binding technique.

Remember to put a label on the back and ENJOY!

